



K7 io CAPABLE
Flexo Rotary Die Cutter



K7 io Capable

FLEXO ROTARY DIE CUTTER

The K7 offers inside/outside technology... the ability to print on both sides of the box in a single pass. This offers your clients more design options at an affordable price.



Feed Section

The feed section comes equipped with lead edge feeder with four shafts providing reliability and accuracy. The motorized side guides, back stop in & out and up & down, vacuum sheet cleaner and board calipers make adjustments a breeze.



Print Section

The K7 is available with up to five colors on the inside and as many as needed on the outside. Features include: vacuum transfer units with VS blowers and adjustable baffles, motorized board calipers with CNC set-up, motorized lateral print cylinder adjustment, Matthews or cam lock up die mounting system, laser engraved anilox rolls, and touch screen operator HMI.



Dwell Section


IR zone controlled heating, LED temperature read-out and blower fans to facilitate printing multiple colors at high speeds. Available in 30" and 60" sizes. Features include: vacuum sheet transfer, motorized board calipers, multiple zone temperature control, on & off sequenced with machine operation, perforated stainless steel cover, heavy duty VS blower fan, and scrap jam detectors.

THE K7 AND K710 ARE QUALITY, PROVEN FLEXO ROTARY DIE CUTTERS THAT ARE PACKED WITH FEATURES THAT WILL GIVE YOU THE OPPORTUNITY TO STAND OUT AMONG THE COMPETITION, TIME AND TIME AGAIN.



Rotary Die Cut Section

The K7 rotary die cut section comes equipped with chrome plated cylinders and shafts, threaded die bolt inserts, anvil compensation and oscillation systems, anvil grinding system, motorized caliper controls, motorized pull collars, and variable speed anvil system.



Slotting Section

The optional slotting section is equipped with yolked slotting heads with linear slide bearings for ease of movement, and gang setting of box depth. Now featuring Sauer G3 scorers. (Dual slotting also available)



Stacker Section

The optional KL ST2800 Stacker is an economical full featured solution to your rotary die cutter stacker. This stacker comes standard with blower beater section movable layboy arms, vacuum conveyor belts, 2-out backstop and batch counting.



**SIZES AVAILABLE FROM 66" X 110"
AND UP TO 66" X 190"**



K1-X Jumbo Flexo



SHINKO Super α Flexo Folder Gluer



KLS io Capable Flexo Folder Gluer

GLOBAL
BOXMACHINE

SINCE 1955

1486 St. Paul Avenue
Gurnee, Illinois 60031 USA
847-949-5900 800-621-4343
www.boxmachine.com